

MATCHINGS EXTEND TO HAMILTONIAN CYCLES IN 5-CUBE¹

FAN WANG²

School of Sciences
Nanchang University
Nanchang, Jiangxi 330000, P.R. China
e-mail: wangfan620@163.com

AND

WEISHENG ZHAO

Institute for Interdisciplinary Research
Jiangnan University
Wuhan, Hubei 430056, P.R. China
e-mail: weishengzhao101@aliyun.com

Abstract

Ruskey and Savage asked the following question: Does every matching in a hypercube Q_n for $n \geq 2$ extend to a Hamiltonian cycle of Q_n ? Fink confirmed that every perfect matching can be extended to a Hamiltonian cycle of Q_n , thus solved Kreweras' conjecture. Also, Fink pointed out that every matching can be extended to a Hamiltonian cycle of Q_n for $n \in \{2, 3, 4\}$. In this paper, we prove that every matching in Q_5 can be extended to a Hamiltonian cycle of Q_5 .

Keywords: hypercube, Hamiltonian cycle, matching.

2010 Mathematics Subject Classification: 05C38, 05C45.

REFERENCES

- [1] J.A. Bondy and U.S.R. Murty, *Graph Theory with Applications* (North-Holland, NewYork-Amsterdam-Oxford, 1982).

¹This work is supported by NSFC (grant nos. 11501282 and 11261019) and the science and technology project of Jiangxi Provincial Department of Education (grant No. 20161BAB201030).

²Corresponding author.

- [2] R. Caha and V. Koubek, *Spanning multi-paths in hypercubes*, Discrete Math. **307** (2007) 2053–2066.
doi:10.1016/j.disc.2005.12.050
- [3] D. Dimitrov, T. Dvořák, P. Gregor and R. Škrekovski, *Gray codes avoiding matchings*, Discrete Math. Theoret. Comput. Sci. **11** (2009) 123–148.
- [4] T. Dvořák, *Hamiltonian cycles with prescribed edges in hypercubes*, SIAM J. Discrete Math. **19** (2005) 135–144.
doi:10.1137/S0895480103432805
- [5] J. Fink, *Perfect matchings extend to Hamilton cycles in hypercubes*, J. Combin. Theory Ser. B **97** (2007) 1074–1076.
doi:10.1016/j.jctb.2007.02.007
- [6] J. Fink, *Connectivity of matching graph of hypercube*, SIAM J. Discrete Math. **23** (2009) 1100–1109.
doi:10.1137/070697288
- [7] J. Fink, *Matching graphs of hypercubes and complete bipartite graphs*, European J. Combin. **30** (2009) 1624–1629.
doi:10.1016/j.ejc.2009.03.007
- [8] P. Gregor, *Perfect matchings extending on subcubes to Hamiltonian cycles of hypercubes*, Discrete Math. **309** (2009) 1711–1713.
doi:10.1016/j.disc.2008.02.013
- [9] L. Gros, *Théorie du Baguenodier* (Aimé Vingtrnier, Lyon, 1872).
- [10] G. Kreweras, *Matchings and Hamiltonian cycles on hypercubes*, Bull. Inst. Combin. Appl. **16** (1996) 87–91.
- [11] F. Ruskey and C. Savage, *Hamilton cycles that extend transposition matchings in Cayley graphs of S_n* , SIAM J. Discrete Math. **6** (1993) 152–166.
doi:10.1137/0406012
- [12] J. Vandenbussche and D. West, *Matching extendability in hypercubes*, SIAM J. Discrete Math. **23** (2009) 1539–1547.
doi:10.1137/080732687
- [13] F. Wang and H.P. Zhang, *Two types of matchings extend to Hamiltonian cycles in hypercubes*, Ars Combin. **118** (2015) 269–283.
- [14] F. Wang and H.P. Zhang, *Small matchings extend to Hamiltonian cycles in hypercubes*, Graphs Combin. **32** (2016) 363–376.
doi:10.1007/s00373-015-1533-6
- [15] E. Zulkoski, V. Ganesh and K. Czarnecki, *MathCheck: A Math Assistant via a Combination of Computer Algebra Systems and SAT Solvers*, in: A.P. Felty and A. Middeldorp, Proc. CADE-25 (Ed(s)), (LNCS 9195, 2015) 607–622.
doi:10.1007/978-3-319-21401-6_41

Received 27 September 2016

Revised 4 November 2016

Accepted 4 November 2016